



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/517,512

12/10/2004

Michel Gielis

P/4309-84

1297

7590
Klaus P. Stoffel, Esq.
Wolff & Samson PC
One Boland Drive
West Orange, NJ 07052

01/16/2007

EXAMINER

HOLLOWAY III, EDWIN C

ART UNIT

PAPER NUMBER

2612

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
--	-----------	---------------

3 MONTHS

01/16/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary

Application No.

10/517,512

Applicant(s)

GIELIS, MICHEL

Examiner

Edwin C. Holloway, III

Art Unit

2612

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 10 December 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 14-26 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 14-26 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 10 December 2004 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892) ✓
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08) ✓
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

Art Unit: 2612

EXAMINER'S RESPONSE

1. In response to the application filed 12-10-04 the application has been examined. The examiner has considered the presentation of claims in view of the disclosure and the present state of the prior art. And it is the examiner's opinion that the claims are unpatentable for the reasons set forth in this Office action:

Specification

2. The disclosure is objected to because of the following informalities: The specification lacks section headings identified below.

Appropriate correction is required.

The following guidelines illustrate the preferred layout for the specification of a utility application. These guidelines are suggested for the applicant's use.

Arrangement of the Specification

As provided in 37 CFR 1.77(b), the specification of a utility application should include the following sections in order. Each of the lettered items should appear in upper case, without underlining or bold type, as a section heading. If no text follows the section heading, the phrase "Not Applicable" should follow the section heading:

- (a) TITLE OF THE INVENTION.
- (b) CROSS-REFERENCE TO RELATED APPLICATIONS.
- (c) STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT.
- (d) THE NAMES OF THE PARTIES TO A JOINT RESEARCH AGREEMENT.
- (e) INCORPORATION-BY-REFERENCE OF MATERIAL SUBMITTED ON A COMPACT DISC.
- (f) BACKGROUND OF THE INVENTION.

Art Unit: 2612

- (1) Field of the Invention.
- (2) Description of Related Art including information disclosed under 37 CFR 1.97 and 1.98.
- (g) BRIEF SUMMARY OF THE INVENTION.
- (h) BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING(S).
- (i) DETAILED DESCRIPTION OF THE INVENTION.
- (j) CLAIM OR CLAIMS (commencing on a separate sheet).
- (k) ABSTRACT OF THE DISCLOSURE (commencing on a separate sheet).
- (l) SEQUENCE LISTING (See MPEP § 2424 and 37 CFR 1.821-1.825. A "Sequence Listing" is required on paper if the application discloses a nucleotide or amino acid sequence as defined in 37 CFR 1.821(a) and if the required "Sequence Listing" is not submitted as an electronic document on compact disc).

Drawings

3. The drawings are objected to because the black boxes should include descriptive labels. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each

Art Unit: 2612

drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

4. Claims 14-26 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 14, the terms "security configuration", "anomaly configuration", "reference condition" and "security circuit" are unclear. Further, the limitation of "entirely or partially" has no clear meaning.

Claim Rejections - 35 USC § 102 & 103

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

Art Unit: 2612

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

8. Claims 14-15 and 19 are rejected under 35 U.S.C. 102(b) as being anticipated by Silverman (US006163270A).

Silverman discloses a monitor and control system with central unit (14) monitoring peripherals (16,18,19) over wired network (13) to provide security or anomaly configuration responsive to context codes corresponding to reference conditions of (ON, OFF, IDLE). See cols. 1-2 and 4-6.

Art Unit: 2612

9. Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Silverman (US006163270A) as applied above and further in view of Waterhouse (US005532465A).

Waterhouse discloses an analogous art communication system with power over the communication lines (14-1) and masters 12 reading slave labels 15 to determine position. See figs. 1, 6 and cols. 4-6.

Regarding claim 18 it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included in Silverman power over the communication system would of Waterhouse so that separate powering is not required.

10. Claims 16-17 and 20-24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Silverman (US006163270A) as applied above and further in view of Skalski (US005274203A).

Skalski discloses an analogous art communication system with primary and secondary processors communicating with multiple read heads and counters to provide redundant position sensing to increase safety. See figs. 1, 6 and cols. 4-6.

Regarding claims 16-17, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included in Silverman plural controllers of Skaski for redundancy to increase safety. Regarding claims 21-24, label

Art Unit: 2612

reader would have been obvious in view of Skalski to determine position suggested by the position sensing in Silverman.

11. Claims 25-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Silverman (US006163270A) and Skalski (US005274203A) as applied above and further in view of Persson (US 4086519).

Regarding claims 25-26 Hall effect sensors and magnetized tracks would have been obvious in view of Persson as a precise manner to encode position.

Conclusion

12. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Tobita (US 4872532), Koopman (US 5682024) and Schuster (US006732839B2) disclose elevator systems.

CONTACT INFORMATION

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact an Electronic Business Center (EBC) representatives at 571-272-4100 or toll free at 1-866-217-9197 between the hours of 6 a.m. and midnight Monday through Friday EST, or by e-mail at ebc@uspto.gov. The Patent EBC is a complete customer service center that supports all Patent e-business products and service applications. Additional information is available on the Patent EBC Web site at <http://www.uspto.gov/ebc/index.html>.


Art Unit: 2612

Any inquiry of a general nature should be directed to the Technology Center 2600 receptionist at (571) 272-2600. Facsimile submissions may be sent via central fax number 571-273-8300 to customer service for entry by technical support staff. Questions related to the operation of the facsimile system should be directed to the Electronic Business Center.

CENTRALIZED DELIVERY POLICY: For patent related correspondence, hand carry deliveries must be made to the Customer Service Window (now located at the Randolph Building, 401 Dulany Street, Alexandria, VA 22314), and facsimile transmissions must be sent to the Central FAX number, unless an exception applies. For example, if the examiner has rejected claims in a regular U.S. patent application, and the reply to the examiner's Office action is desired to be transmitted by facsimile rather than mailed, the reply must be sent to the Central FAX Number. Inquiries concerning only hours and location of the Customer Window may be directed to OIPE Customer Service at (571) 272-4000

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Edwin C. Holloway, III whose telephone number is (571) 272-3058. The examiner can normally be reached on M-F (8:30-5:00). If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wendy Garber can be reached on (571) 272-7308.

EH
1/5/07


EDWIN C. HOLLOWAY, III
PRIMARY EXAMINER
ART UNIT 2612